

MSDS-VOGA ALIPHATIC-E

PAGE 1/10

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

1. Identification

Product identifier

VOGA ALIPHATIC-E

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals Recommended use: for industrial and professional users



Details of the supplier of the safety data sheet

E-mail address: info@vogel-systems.de

Emergency telephone number

International emergency number

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**1. Product identifier****Product name:** **VOGA ALIPHATIC-E****2. Relevant identified uses of the substance or mixture and uses advised against****Identified uses :** **ELASTIC , ALIPHATIC , LIQUID POLY-UREA MEMBRANE****3. Details of the supplier of the safety data sheet****Supplier**

Company name : Vogel co.

E-mail address: info@vogel-systems.de**2. COMPOSITION/INFORMATION ON INGREDIENTS****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixture/Subst**

Acute toxicity (inhalation:vapour) Category 4	H332	Calculation method
Skin corrosion/irritation, Category 2	H315	Calculation method
Serious eye damage/eye irritation, Category 2	H319	Calculation method
Sensitisation — Respiratory, Category 1	H334	Calculation method
Sensitisation — Skin, Category 1	H317	Calculation method
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335	Calculation method
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412	Calculation method

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if inhaled. May cause respiratory irritation. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Harmful to aquatic life with long lasting effects.

2.2. Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP)

Signal word
(CLP)

: Danger

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-VOGA ALIPHATIC-E**

Date of print 20.09.2022

Hazardous ingredients	:	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, isophorone di-isocyanate
Hazard statements (CLP)	:	H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation H332 - Harmful if inhaled H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled H335 - May cause respiratory irritation H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (CLP)	:	P102 - Keep out of reach of children P261 - Avoid breathing fume, gas, mist, vapours P280 - Wear eye protection, face protection, protective clothing, protective gloves P284 - [In case of inadequate ventilation] wear respiratory protection P302+P352 - IF ON SKIN: Wash with plenty of water P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor, a POISON CENTER if you feel unwell P403+P233 - Store in a well-ventilated place. Keep container tightly closed P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
Security closing plug for children	:	Not applicable
Tactile warning	:	Applicable

2.3. Other hazards

No additional information available

3. COMPOSITION/INFORMATION ON INGREDIENTS**1. Substance**

Not applicable

2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, isophorone di-isocyanate (Note 2)	(CAS No) 4098-71-9 (EC no) 223-861-6 (EC index no) 615-008-00-5 (REACH-no) 01-2119490408-31	10 - 20	Acute Tox. 3 (Inhalation), H331 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, isophorone di-isocyanate	(CAS No) 4098-71-9 (EC no) 223-861-6 (EC index no) 615-008-00-5 (REACH-no) 01-2119490408-31	(C >= 0.5) Resp. Sens. 1, H334 (C >= 0.5) Skin Sens. 1, H317	

Note 2 : The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Full text of H-statements: see section 16

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

4. FIRST AID MEASURES

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/injuries after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/injuries after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.
Self-contained breathing apparatus.
Complete protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.
Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.
For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-VOGA ALIPHATIC-E**

Date of print 20.09.2022

7. HANDLING AND STORAGE**7.1. Precautions for safe handling**

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- No additional information available

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION**8.1. Control parameters**

Austria	Local name	Isophorondiisocyanat
Austria	MAK (mg/m ³)	0.046 mg/m ³
Austria	MAK (ppm)	0.005 ppm
Austria	MAK Short time value (mg/m ³)	0.092 mg/m ³
Austria	MAK Short time value (ppm)	0.01 ppm
Austria	Remark (AT)	Sah
Belgium	Local name	Diisocyanate d'isophorone
Belgium	Limit value (mg/m ³)	0.046 mg/m ³
Belgium	Limit value (ppm)	0.005 ppm
Belgium	Remark (BE)	D
Bulgaria	Local name	Изофорон диизоцианат
Bulgaria	OEL TWA (mg/m ³)	0.1 mg/m ³
Denmark	Local name	3-Isocyanatomethyl-3,5,5-trimethylcy- clohexylisocyanat (2005)
Denmark	Grænseværdie (langvarig) (mg/m ³)	0.045 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	0.005 ppm
Estonia	Local name	Isoforoondiisotsüanaat
Estonia	OEL TWA (mg/m ³)	0.05 mg/m ³
Estonia	OEL TWA (ppm)	0.005 ppm
Estonia	OEL STEL (mg/m ³)	0.09 mg/m ³
Estonia	OEL STEL (ppm)	0.01 ppm
France	Local name	Diisocyanate d'isophorone (3)
France	VME (mg/m ³)	0.09 mg/m ³
France	VME (ppm)	0.01 ppm
France	VLE (mg/m ³)	0.18 mg/m ³
France	VLE (ppm)	0.02 ppm
Germany	Local name	3-Isocyanatmethyl-3,5,5-trimethylcyclohexylisocyanat
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	0.046 mg/m ³
Germany	TRGS 900 Occupational exposure limit value (ppm)	0.005 ppm
Germany	Remark (TRGS 900)	DFG.12.Sa
Greece	OEL TWA (mg/m ³)	0.09 mg/m ³
Greece	OEL TWA (ppm)	0.01 ppm
Greece	OEL STEL (mg/m ³)	0.18 mg/m ³
Greece	OEL STEL (ppm)	0.02 ppm
Ireland	Local name	Isophorone diisocyanate (IPDI) (as -NCO)
Ireland	OEL (8 hours ref) (ppm)	0.005 ppm
Ireland	Notes (IE)	Sen
Lithuania	Local name	Izoforono diizocianatas (IPDI)
Lithuania	IPRV (mg/m ³)	0.05 mg/m ³
Lithuania	IPRV (ppm)	0.005 ppm
Lithuania	NRV (mg/m ³)	0.09 mg/m ³
Lithuania	NRV (ppm)	0.01 ppm
Lithuania	Remark (LT)	J

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-VOGA ALIPHATIC-E**

Date of print 20.09.2022

Poland	Local name	Izocyjanian 3-izocyjanianometylo-3,5,5-trimetylocykloheksylu (diizocyjanian izoformu)
Poland	NDS (mg/m ³)	0.04 mg/m ³
Portugal	Local name	Diisocianato de isoformona
Portugal	OEL TWA (ppm)	0.005 ppm
Slovenia	Local name	3-izocianatometil-3,5,5-trimetilcikloheksilizocianat (izoformondiiizocianat)
Slovenia	OEL TWA (mg/m ³)	0.092 mg/m ³
Slovenia	OEL TWA (ppm)	0.01 ppm
Slovenia	OEL STEL (mg/m ³)	0.092 mg/m ³
Slovenia	OEL STEL (ppm)	0.01 ppm
Spain	Local name	3-Isocianometil-3,5,5-trimetilcikloheksilisocianato (Diisocianato de isoformona)
Spain	VLA-ED (mg/m ³)	0.046 mg/m ³
Spain	VLA-ED (ppm)	0.005 ppm
Spain	Notes	Sen (Sensibilizante. Véase Apartado 6.)
Sweden	Local name	isophorone diisocyanate
Sweden	nivågränsvärde (NVG) (mg/m ³)	0.018 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	0.002 ppm
Sweden	takgränsvärde (TGV) (mg/m ³)	0.046 mg/m ³
Sweden	takgränsvärde (TGV) (ppm)	0.005 ppm
Norway	Local name	Isoformondiiisocyanat
Norway	Grenseverdier (AN) (mg/m ³)	0.045 mg/m ³
Norway	Grenseverdier (AN) (ppm)	0.005 ppm
Norway	Merknader (NO)	A
Australia	Local name	Isophorone diisocyanate
Australia	TWA (mg/m ³)	266 mg/m ³
Australia	TWA (ppm)	50 ppm
USA - ACGIH	Local name	Isophorone diisocyanate
USA - ACGIH	ACGIH TWA (ppm)	0.005 ppm
USA - ACGIH	Remark (ACGIH)	Resp sens

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Wear respiratory protection
Environmental exposure controls	: Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Various.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.08 - 1.14 g/cm ³
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 800 - 1000 mPa.s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

10. STABILITY AND REACTIVITY**10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Acute toxicity : Inhalation:vapour: Harmful if inhaled.

ATE CLP (vapours)	15.000 mg/l/4h
-------------------	----------------

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.
Germ cell mutagenicity	: Notclassified
Carcinogenicity	: Notclassified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation
Specific target organ toxicity (repeated exposure)	: Notclassified
Aspiration hazard	: Notclassified

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

14. TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)**ADR**

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user**- Overland transport**

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport**- Rail transport**

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-VOGA ALIPHATIC-E**

Version: 1.0

Date of print 20.09.2022**15. REGULATORY INFORMATION****1. EU-Regulations**

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

16. OTHER INFORMATION

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable