

MSDS- Voga Cryst-Seal

PAGE 1/8

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **Voga Cryst-Seal**

Version: 1.0

Date of print 20.09.2022

1. Identification

Product identifier

Voga Cryst-Seal

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals Recommended use: for industrial and professional users



Details of the supplier of the safety data sheet

E-mail address: info@vogel-systems.de

Emergency telephone number

International emergency number

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-Voga Cryst-Seal**

Version: 1.0

Date of print 20.09.2022

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**1. Product identifier****Product name:** Voga Cryst-Seal**2. Relevant identified uses of the substance or mixture and uses advised against****Identified uses :** Surface Applied Capillary Waterproofing Cementitious Coating**3. Details of the supplier of the safety data sheet****Supplier**

Company name : Vogel co.

E-mail address: info@vogel-systems.de**2. COMPOSITION/INFORMATION ON INGREDIENTS****1. Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT

SE 3 H335 May cause respiratory irritation.

2. Label elements**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:

GHS05 GHS07

Signal word: Danger**Hazard-determining components of labelling:**

Limestone (calcium carbonate)

Cement, portland, chemicals

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-Voga Cryst-Seal**

Date of print 20.09.2022

Hazard statements:

H315 Causes skin irritation. H318

Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363

Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment PBT:**

Not applicable.

vPvB: Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Chemical characterisation: Mixtures****Description:** Mixture: consisting of the following components.

Ingredients according Regulation (EU) 830/2015:		
CAS: 65997-15-1	Cement, portland, chemicals	40-70%
EINECS: 266-043-4	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 1317-65-3	Limestone (calcium carbonate)	10-30%
EINECS: 215-279-6	⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 14808-60-7 EINECS: 238-878-4	⚠ Quartz (SiO ₂)	5-10%

Additional information: Quartz (SiO₂): Contains less than 1% of respirable quartz (ø <50 µm)**4. FIRST AID MEASURES****4.1 Description of first aid measures****General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-Voga Cryst-Seal**

Version: 1.0

Date of print 20.09.2022

After eye contact:

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes.

Get medical attention if irritation occurs.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. FIRE FIGHTING MEASURES**1. Extinguishing media**

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

2. Special hazards arising from the substance or mixture No further relevant information available.**3. Advice for firefighters****Protective equipment:**

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6. ACCIDENTAL RELEASE MEASURES**1. Personal precautions, protective equipment and emergency procedures:**

Avoid formation of dust.

Avoid contact with spilled material.

Wear protective equipment. Keep unprotected persons away.

2. Environmental precautions: Do not allow to enter sewers/ surface or ground water.**3. Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Pick up mechanically.

4. Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. HANDLING AND STORAGE**1. Precautions for safe handling**

Avoid contact with skin, eyes and clothing.

Thorough dedusting.

Prevent formation of dust.

Information about fire - and explosion protection: No special measures required.

2. Conditions for safe storage, including any incompatibilities **Storage:**

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from heat and direct sunlight.

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-Voga Cryst-Seal**

Date of print 20.09.2022

7.3 Specific end use(s) No further relevant information available.**8. EXPOSURE CONTROLS AND PERSONAL PROTECTION****8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:	
65997-15-1 Cement, portland, chemicals	
WEL	Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls Personal****protective equipment****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection: Use suitable respiratory device in case of dusting.**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection:

Tightly sealed goggles

Body protection:

Protective work clothing

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-Voga Cryst-Seal**

Date of print 20.09.2022

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties General Information

Appearance:

Form:	Powder
Colour:	Grey
Odour:	Odourless
Odour threshold:	Not determined
pH value at 20 °C:	11-13 (solution)
Melting point/freezing point:	>1000 °C

Initial boiling point and boiling range: Not determined

Flash point: Not applicable

Flammability (solid, gas): Not determined

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Auto-ignition temperature: Product is not selfigniting

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapour pressure: Not applicable

Density:

Relative density: Not determined

Vapour density: Not applicable

Evaporation rate: Not applicable

Solubility in / Miscibility with water:

Negligible

Partition coefficient: n-octanol/water: Not determined

Viscosity:

Dynamic: Not applicable

Kinematic: Not applicable

9.2 Other information: No further relevant information available.

10. STABILITY AND REACTIVITY

1. **Reactivity** No further relevant information available.2. **Chemical stability****Thermal decomposition / conditions to be avoided** Stable at environment temperature.3. **Possibility of hazardous reactions** No dangerous reactions known.4. **Conditions to avoid** No further relevant information available.5. **Incompatible materials** Strong Acids6. **Hazardous decomposition products** No dangerous decomposition products known.

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Product: **MSDS-Voga Cryst-Seal**

Version: 1.0

Date of print 20.09.2022

11. TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation


May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure**

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**12. ECOLOGICAL INFORMATION****1. Toxicity****Aquatic toxicity:** No further relevant information available.**2. Persistence and degradability** No further relevant information available.**3. Bioaccumulative potential** No further relevant information available.**4. Mobility in soil** No further relevant information available.**5. Results of PBT and vPvB assessment** **PBT:** Not applicable.**vPvB:** Not applicable.**6. Other adverse effects** No further relevant information available.**13. DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods Recommendation**

Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.

VOGEL SYSTEMS Safety data sheet

Date / Revised: 19.09.2022

Version: 1.0

Product: **MSDS-Voga Cryst-Seal**

Date of print 20.09.2022

14. TRANSPORT INFORMATION

- | | |
|--|-----------------|
| 1. UN-Number | Void |
| 2. UN proper shipping name | Void |
| 3. Transport hazard class(es) | Void |
| 4. Packing group | Void |
| 5. IATA | , |
| 6. Environmental hazards: | Not applicable. |
| 7. Special precautions for user | Not applicable. |
| 8. Transport in bulk according to Annex II | |
| 9. of Marpol and the IBC Code | Not applicable. |

15. REGULATORY INFORMATION**1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

The product contains less than 2 ppm (0,0002 w/w) Cr (VI) according to Annex XVII of REACH Regulation. The product contains less than 1% respirable quartz (ø <50 microns) and therefore it is not subject to be classified as harmful to health.

National regulations:**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

2. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16. OTHER INFORMATION

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable