

VOGA SPORT P

PAGE 1/3

VOGEL SYSTEMS Technical data sheet Date / Revised: 19.09.2018 Product: **VOGA SPORT P**

Version: 1.0

Date of print 20.09.2018

1. Identification

Product identifier

VOGA SPORT P

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals Recommended use: for industrial and professional users







Details of the supplier of the safety data sheet

Company: VOGEL SYSTEMS Operating Division Construction Chemicals

E-mail address: info@vogel-systems.de

Emergency telephone number

International emergency number

VOGEL SYSTEMS Technical data sheet

Date / Revised: 19.09.2018 Version: 1.0

Product: VOGA SPORT P

Date of print 20.09.2018

Outdoor Sports Surface Coating

DESCRIPTION

VOGA SPORT P is a fast drying acrylic based coating provides concrete and asphalt floors with excellent resistance against abrasion, wear and weather conditions including UV-resistance.

APPLICATION FIELDS

VOGA SPORT P can be used for:

- Tennis courts.
- · Walkways.
- · Multi-purpose athletic courts.
- · Play yards.
- · Jogging tracks

ADVANTAGES

- Helps prevent surface glare to increase visibility.
- · Resists abrasion & scuffing.
- · Water resistant.
- UV-resistant
- Easy applied.
- · Resistance against abrasion

APPLICATION INSTRUCTIONS

VOGA SPORT P must be applied to a clean, dry substrate free from laitance, dust, dirt, oil, grease and other contaminants.

STORAGE

Twenty four months in its unopened original packaging. Store in a cool, dry and covered place, protected from moisture, frost and direct sunlight, with temperatures between 5 °C and 30 °C.

APPLICATION FIELDS

- Apply a priming coat as a sealer **BONDING PRIMER** at a rate of 0.2kg/m2.
- Allow to dry overnight
- The material is to be applied with brush or roller.
- · Apply two or three coats with roller using the material directly from its container.
- Leave the surface to fully dry before use for 3 days.
- It can be applied over VOGA SPORT S OR VOGA CUSHION

CONSUMPTION

Estimated consumption for VOGA SPORT P is 0.25-0.3 kg / m²/coat

PACKAGING

VOGA SPORT P is supplied in 20 kg pack.

VOGEL SYSTEMS Technical data sheet

Date / Revised: 19.09.2018 Version: 1.0

Product: VOGA SPORT P

Date of print 20.09.2018

TECHNICAL DATA

Product propreties(At 20°C)		
Denisty		1.4 ± 0.1 gm/cm3
Color	VOGA SPORT S	White - Red - Blue - yellow - Green
Solid content		48 - 52 % by volume
Touch to dry		2 hours at 20 °C
Hand dry		24 hours at 20 °C
Fully dry		72 hours

CLEANING

Tools and equipment should be cleaned, immediately after use, with water. Once product cures, this can only be removed by mechanical means.

SAFETYAND HEALTH

VOGA SPORT P is a low toxicity product but direct contact with skin and eyes must be avoided .Use rubber gloves and safety goggles when handling, mixing and applying the product.

STORAGE

Twenty four months in its unopened original packaging. Store in a cool, dry and covered place, protected from moisture , frost and direct sunlight, with temperatures between 5 $^{\circ}\text{C}$ and 30 $^{\circ}\text{C}$.